L Number		Search Text	DB	Time stamp
8	383		USPAT;	2004/02/22 19:41
		375/240\$.ccls.)	EPO;	
			DERWENT;	
_		cocotag as and intermediate	IBM_TDB	0004/00/00 10 40
9	1	6363117.pn. and intermediate	USPAT;	2004/02/22 19:42
			EPO;	
			DERWENT;	
		(1////5)	IBM_TDB	0001/00/00 00 00
56	91	(((((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/22 20:08
		step) or threestep or (three adj step) or	EPO;	
		("3" adj step)) near4 search\$3) or ("3SS" or	DERWENT;	·
		"4SS" or "N4SS")) and ((348/\$.ccls. or	IBM_TDB	
		375/240\$.ccls.) or 382/\$.ccls.)) or (((coarse near4 fine) with (search\$3 or		
		motion)) and ((348/\$.ccls. or		
		375/240\$.ccls.) or 382/\$.ccls.)) or		
		(((hierarchical or logarithm or fast) near4		
		(search\$3 or motion)) and ((348/\$.ccls. or		
		375/240\$.ccls.) or 382/\$.ccls.))) and		
		((((distance or difference or subtract\$)		
		with (adjacent or neighbor\$3 or border\$3))		
		with (pixel or point or pel)))		
58	1	(le-vu\$.xp. and (348/\$.ccls. or	USPAT;	2004/02/22 20:18
50	_	375/240\$.ccls.)) and (((((fourstep or (four	EPO;	2001, 02, 22 20:10
		adj step) or ("4" adj step) or threestep or	DERWENT;	
		(three adj step) or ("3" adj step)) near4	IBM TDB	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and		
		((348/\$.ccls. or 375/240\$.ccls.) or		
		382/\$.ccls.)) or (((coarse near4 fine) with		
		(search\$3 or motion)) and ((348/\$.ccls. or		
		375/240\$.ccls.) or 382/\$.ccls.)) or		
		(((hierarchical or logarithm or fast) near4		
		(search\$3 or motion)) and ((348/\$.ccls. or		
	1	375/240\$.ccls.) or 382/\$.ccls.))) and		
		(((distance or difference or subtract\$)		
		<pre>with (adjacent or neighbor\$3 or border\$3))</pre>		
		with (pixel or point or pel))))		
59	39370	(((mean adj square) or (mean adj absolute)	USPAT;	2004/02/22 20:20
		or (sum adj absolute) or (block)) near4	EPO;	
		(distance or difference or distortion)) or	DERWENT;	
		MAD or SAD or MBDM or MSD or BDM	IBM_TDB	
60	95	(le-vu\$.xp. and (348/\$.ccls. or	USPAT;	2004/02/22 20:20
		375/240\$.ccls.)) and ((((mean adj square) or	EPO;	
		(mean adj absolute) or (sum adj absolute) or	DERWENT;	
		(block)) near4 (distance or difference or	IBM_TDB	
		distortion)) or MAD or SAD or MBDM or MSD or		
		BDM)		
61	14981		USPAT;	2004/02/22 20:20
		or (sum adj absolute)) near4 (distance or	EPO;	
		difference or distortion)) or MAD or SAD or	DERWENT;	
		MBDM or MSD or BDM	IBM_TDB	
62	39		USPAT;	2004/02/22 20:20
		375/240\$.ccls.)) and ((((mean adj square) or	EPO;	
		(mean adj absolute) or (sum adj absolute))	DERWENT;	
		near4 (distance or difference or	IBM_TDB	
		distortion)) or MAD or SAD or MBDM or MSD or		
		BDM)		
63	150795		USPAT;	2004/02/22 20:31
		(adjacent or neighbor\$3 or border\$3)	EPO;	
	1		DERWENT;	
		l	IBM_TDB	
64	290		USPAT;	2004/02/22 20:32
		or (sum adj absolute)) near4 (distance or	EPO;	
		difference or distortion)) or MAD or SAD or	DERWENT;	
	1	MBDM or MSD or BDM) same ((distance or	IBM_TDB	
	I	difference or subtract\$) with (adjacent or	I	i
		neighbor\$3 or border\$3))		
67	89628	neighbor\$3 or border\$3)) distance or difference or subtract\$) near6	USPAT;	2004/02/22 20:52
67	89628	neighbor\$3 or border\$3))	EPO;	2004/02/22 20:52
67	89628	neighbor\$3 or border\$3)) distance or difference or subtract\$) near6	1	2004/02/22 20:52

68	185	((((mean adj square) or (mean adj absolute)	USPAT;	2004/02/22 20:32
00	165	or (sum adj absolute)) near4 (distance or	EPO;	2004/02/22 20:32
		difference or distortion)) or MAD or SAD or	DERWENT;	
		MBDM or MSD or BDM) with (distance or	IBM_TDB	
		difference or subtract\$) near6 (adjacent or		
69	66700	neighbor\$3 or border\$3) (348/\$.ccls. or 375/240\$.ccls.) or	USPAT;	2004/02/22 20:33
	00700	382/\$.ccls.	EPO;	2004/02/22 20:33
			DERWENT;	
			IBM_TDB	
70	92	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/02/22 20:33
		or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or	EPO; DERWENT;	
		MBDM or MSD or BDM) with (distance or	IBM_TDB	
		difference or subtract\$) near6 (adjacent or	_	
		neighbor\$3 or border\$3)) and ((348/\$.ccls.		
_	42188	or 375/240\$.ccls.) or 382/\$.ccls.) fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/12 18:43
	12100	step)	EPO;	2004/02/12 10:43
		• '	DERWENT;	
	0.4000		IBM_TDB	
-	24202	motion with step	USPAT;	2004/02/12 18:43
			EPO; DERWENT;	
			IBM_TDB	
-	175		USPAT;	2004/02/17 11:28
		step)) with motion	EPO; DERWENT;	
			IBM TDB	
-	14521	(((mean adj square) or (mean adj absolute)	USPAT;	2004/02/17 11:40
		or (sum adj absolute) or (minumum adj	EPO;	
		block)) near4 (distance or difference)) or	DERWENT;	
_	37332	MAD or SAD or MBDM or MSD (((mean adj square) or (mean adj absolute)	<pre>IBM_TDB USPAT;</pre>	2004/02/17 15:14
	3,332	or (sum adj absolute) or (block)) near4	EPO;	2001,02,1, 13:11
		(distance or difference)) or MAD or SAD or	DERWENT;	
1	42201	MBDM or MSD or BDM	IBM_TDB	2004/00/27 10 04
-	42281	(fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS"	USPAT; EPO;	2004/02/17 12:24
		Scop, of 155 of N455	DERWENT;	
			IBM_TDB	
-	356		USPAT;	2004/02/17 12:20
		step)) or "4SS" or "N4SS") same (motion)	EPO; DERWENT;	
			IBM TDB	
-	156		USPĀT;	2004/02/17 12:20
		step)) or "4SS" or "N4SS") with search	EPO;	
			DERWENT; IBM TDB	,
-	6	(((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/17 12:20
		step)) or "4SS" or "N4SS") same (motion))	EPO;	<u> </u>
		and (((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") with search)	DERWENT;	
_	44		<pre>IBM_TDB USPAT;</pre>	2004/02/17 12:22
	•••	or (sum adj absolute) or (block)) near4	EPO;	
		(distance or difference)) or MAD or SAD or	DERWENT;	
		MBDM or MSD or BDM) and (((fourstep or (four	IBM_TDB	
		adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion))		
-	89	(fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/17 12:24
		step)) near4 search\$3	EPO;	
			DERWENT;	
_	228	(threestep or (three adj step) or ("3" adj	<pre>IBM_TDB USPAT;</pre>	2004/02/17 12:24
		step)) near4 search\$3	EPO;	
			DERWENT;	
_	127	 "3SS" or "4SS" or "N4SS"	IBM_TDB	2004/02/17 12 24
_	12/	222 OT422. OTN422.	USPAT; EPO;	2004/02/17 12:24
			DERWENT;	
			IBM_TDB	

-	428	((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/20 19:31
		step)) near4 search\$3) or ((threestep or	EPO;	
		(three adj step) or ("3" adj step)) near4	DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")	IBM_TDB	
-	73	(((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/17 12:56
		step)) near4 search\$3) or ((threestep or	EPO;	
		(three adj step) or ("3" adj step)) near4	DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and	IBM_TDB	
		((((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4		
		(distance or difference or distortion)) or		
		MAD or SAD or MBDM or MSD or BDM)		
_	0	388/384.ccls.	USPAT;	2004/02/17 12:57
_		300/304.0018.	EPO;	2001,02,1. 12.3.
	:		DERWENT;	
			IBM TDB	
_	l 0	388/384.1.ccls.	USPAT;	2004/02/17 12:57
			EPO;	
			DERWENT;	
			IBM_TDB	
_	217	348/384.1.ccls.	USPAT;	2004/02/17 12:58
			EPO;	
			DERWENT;	
			IBM_TDB	
-	44136	intermediate near4 (pixel or point or pel)	USPAT;	2004/02/17 13:45
			EPO;	
			DERWENT;	
	_		IBM_TDB	0004/00/55 50 55
-	11	(((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/17 13:46
		step)) near4 search\$3) or ((threestep or	EPO;	
		(three adj step) or ("3" adj step)) near4	DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and	IBM_TDB	
	150774	(intermediate near4 (pixel or point or pel))	HCDAT.	2004/02/17 15:16
-	150774	(distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)	USPAT; EPO;	2004/02/17 15:16
		(adjacent of herginors of borders)	DERWENT;	
			IBM TDB	
_	16386	((distance or difference or subtract\$) with	USPAT;	2004/02/17 15:16
	10300	(adjacent or neighbor\$3 or border\$3)) with	EPO;	,,
		(pixel or point or pel)	DERWENT;	
			IBM TDB	
_	593	(((distance or difference or subtract\$) with	USPAT;	2004/02/20 21:18
		(adjacent or neighbor\$3 or border\$3)) with	EPO;	
	1	(pixel or point or pel)) same (motion)	DERWENT;	
			IBM_TDB	
-	4		USPAT;	2004/02/17 15:32
		step)) near4 search\$3) or ((threestep or	EPO;	
	1	(three adj step) or ("3" adj step)) near4	DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and	IBM_TDB	
		((((distance or difference or subtract\$)		
		with (adjacent or neighbor\$3 or border\$3))		
	0.50	with (pixel or point or pel)) same (motion))	HCDAM.	2004/02/17 15 22
_	952		USPAT;	2004/02/17 15:33
		or (sum adj absolute) or (block)) near4 (distance or difference)) or MAD or SAD or	EPO;	
	1	MBDM or MSD or BDM) with subtract\$	DERWENT; IBM TDB	
_	5.6	(((((mean adj square) or (mean adj absolute)	USPAT;	2004/02/20 19:32
		or (sum adj absolute) or (block)) near4	EPO;	
		(distance or difference)) or MAD or SAD or	DERWENT;	
		MBDM or MSD or BDM) with subtract\$) and	IBM TDB	
		((fourstep or (four adj step) or ("4" adj		
		step)) or "4SS" or "N4SS")	1	
-	1323	le-vu\$.xp.	USPAT;	2004/02/20 19:23
			EPO;	
			DERWENT;	
			IBM_TDB	
-	44760	348/\$.ccls.	USPAT;	2004/02/20 19:23
			EPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

-	5036	375/240\$.ccls.	USPAT;	2004/02/20 19:23
	48176	348/\$.ccls. or 375/240\$.ccls.	EPO; DERWENT; IBM_TDB USPAT;	2004/02/20 19:23
	10170	3.0, 0.0018. 01 3,3,2100.0018.	EPO; DERWENT; IBM TDB	2004, 02, 20 17.23
-	613	(MAD or SAD or MBDM or MSD or BDM) with (subtract\$ or difference\$3 or differential)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 19:40
-	29	<pre>(((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((MAD or SAD or MBDM or MSD or BDM) with (subtract\$ or difference\$3 or differential))</pre>	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:40
-	428		USPAT; EPO; DERWENT; IBM TDB	2004/02/20 19:50
-	22394		USPAT; EPO; DERWENT; IBM TDB	2004/02/20 19:50
-	6231	(hierarchical or logarithm or fast) near4 (search\$3 or motion)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:07
-	489	(coarse near4 fine) with (search\$3 or motion)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:07
-	101	((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:17
-	97	(((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:08
-	941	((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:17
	1057	((((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.)) or (((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.)) or (((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:17
-	16386	(((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) with (pixel or point or pel))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:18
-	2	5151784.pn.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:18